




# Material Safety Data Sheet

**MINERAL SURFACED CAP SHEET  
 ASPHALT SATURATED ORGANIC FELTS  
 ASPHALT SATURATED ORGANIC BASE SHEETS  
 ASPHALT SATURATED FIBERGLASS PLY SHEETS  
 ASPHALT SATURATED FIBERGLASS BASE SHEETS**



**Manufacturer:**  
 TARCO, INC.  
 ONE INFORMATION WAY, STE. 225, LITTLE ROCK, AR 72202  
**Phone Number:** (For Information): 501-945-4506  
**Emergency Phone Number:** 254-939-3775

**Identity:** Trade name as used on label  
**MSDS Number:** 0106  
**CAS Number:** NONE  
**Date Prepared:** 8-31-01, Revised:  
**Prepared By:** D. RAINS

## SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION

	<b>Cas Reg. #</b>	<b>%</b>	<b>OSHA TWA</b>	<b>ACGIH TWA</b>	<b>FORM</b>
<b>Petroleum Asphalt Flux</b>	8052-42-4	<60	5mg/m <sup>3</sup>	5mg/m <sup>3</sup>	Fume
<b>Limestone</b>	1317-65-3	20 - 60	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>	Respirable Particulate
<b>Sand</b>	14808-60-7	<20	.1mg/m <sup>3</sup>	.05mg/m <sup>3</sup>	Respirable Particulate
<b>Organic Felt</b>	NE	40 - 60	NE	NE	NE
<b>Fiberglass</b>	65997-17-3	<5	5mg/m <sup>3</sup>	10mg/m <sup>3</sup>	Respirable Particulate
<b>Granules</b>	NE	<50	NE	NE	

NE=Not Established

## SECTION 2 PHYSICAL/CHEMICAL CHARACTERISTICS

<b>Boiling Point</b>	> 650 <sup>o</sup> F	<b>Specific Gravity (H2O = 1)</b>	N/A
<b>Vapor Pressure (mm Hg and Temperature)</b>	N/A	<b>Melting Point</b>	>200 <sup>o</sup> F
<b>Vapor Density (Air = 1)</b>	N/A	<b>Evaporation Rate (Butyl Acetate = 1)</b>	N/A
<b>Solubility in Water</b>	INSOLUBLE	<b>Water Reactive</b>	N/A

### Odor and Appearance

SMALL AMOUNT OF ASPHALTIC ODOR ASSOCIATED WITH ALL TARCO ROOFING PRODUCTS.  
 MINERAL SURFACED CAPSHEET: MEMBRANE ROLL WITH MINERAL AND SAND SURFACES  
 ASPHALT SATURATED ORGANIC FELT AND BASE SHEETS: BLACK MEMBRANE ROLL  
 ASPHALT SATURATED FIBERGLASS BASE AND PLY SHEETS: BLACK MEMBRANE ROLL

## SECTION 3 – FIRE AND EXPLOSION HAZARD DATA

<b>Flash Point and Method Used</b> 500°F, COC	<b>Auto-Ignition Temperature</b> 750° F	<b>Flammability Limits in Air % by Volume</b> N/A	<b>LEL</b> N/A	<b>UEL</b> N/A
--	--	--	-------------------	-------------------

**Extinguisher Media:** FOAM, CO2, DRY CHEMICAL, HALON – AVOID USE OF STRAIGHT STREAM WATER

**Special Fire Fighting Procedures:** WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING

**Unusual Fire and Explosion Hazards:** WHEN HEATED, FUMES MAY BURN IF AN IGNITION SOURCE IS PROVIDED. FUMES MAY EXPLODE IF EMITTED IN AN ENCLOSED ENVIRONMENT WITH AN IGNITION SOURCE.

